





























鹿児島南薩地区(えい) 24.3.11

	飯 伏	蓮 子	折 尾	只 角	一 氏	雪丸(岳)	雪丸(中崎)
令和3年3月12日							
令和4年3月11日							
	源ヶ前	源ヶ前 (茂2号)	黒仁田	瀬谷	春向	永谷上	春向トンネル
令和3年3月12日							
令和4年3月11日							

# 鹿児島南薩地区 (えい)

R4.3.12

## 令和4年新芽伸育定点調査

No.	場所	品種	第1回		第2回		第3回		第4回		第5回		第6回		第7回		摘採日	備考	更新の有無		
			R3	3月5日	R4	3月4日	R3	3月12日	R4	3月11日	R3	3月19日	R4	3月25日	R3	4月1日				R4	4月9日
1	飯伏	ゆたかみどり	R3	15% 1.1 cm	R4	0% 0.6 cm	R3	0% 1.6 cm	R4	0% 1.0 cm	R3	15% 3.0 cm	R4	0% 2.8 cm	R3	42% 14.0 cm	R4	0% 4.2 cm	飯伏幸蔵	更新	
2	蓮子	ゆたかみどり	R3	10% 0.8 cm	R4	0% 0.7 cm	R3	0% 1.5 cm	R4	0% 1.0 cm	R3	12% 2.5 cm	R4	0% 2.5 cm	R3	45% 4.5 cm	R4	0% 4.3 cm	4/3	飯伏 英夫	
3	折尾	ゆたかみどり	R3	15% 1.0 cm	R4	0% 0.8 cm	R3	0.1% 1.8 cm	R4	30% 1.1 cm	R3	15% 3.7 cm	R4	0% 3.0 cm	R3	71% 7.1 cm	R4	0% 4.2 cm	4/5	折尾一文	
4	雪丸タケ	ゆたかみどり	R3	25% 1.1 cm	R4	0% 0.5 cm	R3	0% 1.6 cm	R4	10% 1.1 cm	R3	13% 3.7 cm	R4	0% 2.8 cm	R3	62% 6.2 cm	R4	0% 3.8 cm		雪丸博利	更新
5	一氏	ゆたかみどり	R3	30% 1.6 cm	R4	1% 0.6 cm	R3	0.2% 1.9 cm	R4	5% 1.0 cm	R3	15% 4.0 cm	R4	0% 3.0 cm	R3	72% 7.2 cm	R4	0% 3.0 cm	4/2	川畑秀一	更新
6	只角	ゆたかみどり	R3	15% 0.9 cm	R4	0% 0.6 cm	R3	60% 1.3 cm	R4	10% 1.3 cm	R3	1.0% 3.0 cm	R4	0% 2.5 cm	R3	58% 5.8 cm	R4	0% 4.0 cm	4/6	新原亮一	
7	雪丸中崎	ゆたかみどり	R3	5% 1.3 cm	R4	0% 0.5 cm	R3	40% 2.5 cm	R4	5% 1.1 cm	R3	1.3% 4.5 cm	R4	0% 3.2 cm	R3	83% 8.3 cm	R4	0% 4.7 cm	4/4	雪丸和朗	
8	源ヶ前	茂2号	R3	0.3% 2.3 cm	R4	10% 1.3 cm	R3	18% 4.7 cm	R4	62% 1.5 cm	R3	3.0% 7.0 cm	R4	0% 3.5 cm	R3	107% 10.7 cm	R4	0% 3.5 cm	3/30	下窪てつ子	更新
9	源ヶ前	ゆたかみどり	R3	0% 1.5 cm	R4	0% 0.8 cm	R3	30% 2.1 cm	R4	8% 1.0 cm	R3	0.7% 3.1 cm	R4	0% 2.3 cm	R3	50% 5.0 cm	R4	0% 4.0 cm		高吉正廣	更新
10	黒仁田	ゆたかみどり	R3	0% 1.1 cm	R4	0% 0.7 cm	R3	30% 1.6 cm	R4	5% 1.0 cm	R3	0.7% 3.0 cm	R4	0% 2.5 cm	R3	5.2% 5.2 cm	R4	0% 3.8 cm	4/6	高吉 操	更新
11	瀬谷	ゆたかみどり	R3	0% 1.2 cm	R4	0% 0.8 cm	R3	60% 1.7 cm	R4	0% 1.1 cm	R3	0.8% 3.0 cm	R4	0% 2.2 cm	R3	5.3% 5.3 cm	R4	0% 3.8 cm		吉永一也	更新
12	永谷上	ゆたかみどり	R3	0% 1.2 cm	R4	0% 0.9 cm	R3	40% 1.6 cm	R4	10% 1.3 cm	R3	0.7% 3.0 cm	R4	0% 2.3 cm	R3	7.0% 7.0 cm	R4	0% 4.0 cm	4/5	下窪正也	更新
13	香向	ゆたかみどり	R3	0.2% 1.8 cm	R4	0.0% 0.7 cm	R3	1.3% 3.3 cm	R4	2.2% 1.2 cm	R3	2.8% 4.8 cm	R4	0% 2.8 cm	R3	4.8% 4.8 cm	R4	0% 4.8 cm	3/26	小磯敏文	更新
14		ゆたかみどり	R3	25% 1.5 cm	R4	0% 0.5 cm	R3	0% 2.2 cm	R4	18% 1.0 cm	R3	1.3% 3.9 cm	R4	0% 2.7 cm	R3	6.5% 6.5 cm	R4	0% 4.8 cm		瀬川賢志	更新
平均		茂2号, トンネル園除く	R3	12% 1.19 cm	R4	0% 0.67 cm	R3	48% 1.8 cm	R4	60% 1.1 cm	R3	1.1% 3.4 cm	R4	0% 2.7 cm	R3	6.3% 6.3 cm	R4	0% 4.15 cm			

※萌芽率70%を萌芽期とする

\*開葉数を萌芽率に換算

